

RFC

Tom Rochette <tom.rochette@coreteks.org>

November 30, 2019 — 79477f7

- Keep all RFCs under a single location
- Uniquely identify RFCs
- Use a shared template
 - Editor: Name <email>
 - Status: Draft/Review/Approved/Abandoned/Implemented
 - Required approvers: Name <email> (why), Name <email> (why), ...
 - Approvers: Name <email> (date), Name <email> (date), ...
 - Created on: <date>
 - Updated on: <date>
 - Background
 - Problem
 - Solution
 - References: Documents/URLs that can be useful to consult
- If a RFC is abandoned, the reasons why should be made explicit in the document

1 References

- https://en.wikipedia.org/wiki/Request_for_Comments
- <https://github.com/rust-lang/rfcs/blob/master/0000-template.md>
- https://wiki.en.it-processmaps.com/index.php/Checklist_Request_for_Change_RFC
- Sourcegraph RFC template: <https://docs.google.com/document/d/1TRVmwpLzTgYWhBqPwkSWpzPYvXI3Z2miJSmBN>
- <https://about.sourcegraph.com/handbook/engineering/rfcs>
- <https://blog.pragmaticengineer.com/scaling-engineering-teams-via-writing-things-down-rfcs/>
- <https://github.com/golang/proposal/blob/master/design/TEMPLATE.md>